
















S80 Standard IP Download	
	<p>This is the screen the terminal will generate, after booting up. Press the Menu Key </p> <ul style="list-style-type: none">• This should bring you to the Main Menu
	<p>From the Main Menu – Select System Settings</p> <ul style="list-style-type: none">• This will take you to the System Options menu
	<p>From the System Options Menu – Select App Management</p>

	<p>The terminal screen should request a password</p> <ul style="list-style-type: none">• Enter the Password which is the date reflected on the terminal screen (should match the current day's date) – (MMDDYYYY) <p>then press the Green/Enter Key </p> <ul style="list-style-type: none">• This should take you to an App Load menu
	<p>Select "Configuration" by using the down arrow or press #3</p>
	<p>Select "Server URL"</p>

	<p>If the URL doesn't match t.paxstore.us , then use the yellow clear key to clear the Server URL and type in the URL shown (t.paxstore.us) then press the green enter key </p> <ul style="list-style-type: none">• This will take you back to the Configuration Menu
	<p>Select Server Port</p>
	<p>Confirm the Port matches what's shown to the left (9080)</p> <ul style="list-style-type: none">• If not? Use the yellow clear key to clear the field and type in 9080 and press the green enter key<ul style="list-style-type: none">○ This will take you back to the Configuration Menu

	<p>From the Configuration Menu – Press the Red Cancel key 1 time</p> <ul style="list-style-type: none">• This will take you to the App Load Menu• Select Activate
	<p>Select Online by pressing the Green Enter key or press 1</p>
	<p>1 of 2 things can happen</p> <ol style="list-style-type: none">1. If the terminal already has a Terminal ID stored, the terminal will connect with the PaxStore to Activate.2. If the terminal doesn't have a Terminal ID stored, the display will ask you to enter the Terminal ID.<ol style="list-style-type: none">a. Enter the tid with the prefix of 00000022<ol style="list-style-type: none">i. Example 00000022 + TIDb. Once this is done – the App Load Menu will populate



Select App Update

- The terminal should start downloading the file
- If the device reads no download?
 - Reboot the terminal and allow Health Check to start the download